

HYDRO FIX OBJEKT

Der smarte Designboden
The smart design floor



HYDRO FIX OBJEKT - 8176-4

HYDRO FIX OBJEKT

Der smarte Designboden
The smarte design floor



8103-2 Eiche St. Gallen / Oak St. Gallen



8176-1 Eiche Chur / Oak Chur



8176-4 Eiche Uster / Oak Uster



9013-7 Eiche Luzern / Oak Luzern



619-01 Kiefer Risch / Pine Risch



637L-03 Eiche Emmen / Oak Emmen



637L-07 Eiche Müstair / Oak Müstair



12591-4 Kiefer Zug / Pine Zug



8390-1 Lärche Zermatt / Larch Zermatt



191-08 Altholz Sitten / Old Wood Sitten



191-01 Altholz Thun / Old Wood Thun




190L-04 Eiche Davos / Oak Davos



179-02 Eiche Brugg / Oak Brugg



6311-2 Eiche Locarno / Oak Locarno



3651AB-1 Schindeleiche / Shingle Oak




8390-8 Lärche Kloten / Larch Kloten

HYDRO FIX OBJEKT


Der smarte Designboden
The smarte design floor



3397-1 Beton Creme / Cement Creme



4021-D02 Beton Iron / Cement Iron



6451-9 Beton Kupfer / Cement Copper



1361-37 Beton Anthrazit / Cement Anthrazit



2124-32 Beton grau / Cement grau



2124-31 Beton Light / Cement Light



HYDRO FIX OBJEKT - 6451-9

HYDRO FIX OBJEKT

Der smarte Designboden
The smarte design floor



KLASSE 23 / 33
CLASS 23 / 33



PHTHALATFREI
PHTHALATFREE



FUSSBODENHEIZUNG
UNDERFLOOR HEATING



LICHTECHTHEIT 6 / 7
LIGHTFAST 6 / 7



WASSERFEST
WATERPROOF

HYDRO FIX OBJEKT ca. 5,7 mm



- 1 Hochstrapazierfähige PU Beschichtung
Hardwearing PU Protection
- 2 Nutzschicht
Wear layer
- 3 Dekorfolie
Decorative film
- 4 Elastische Zwischenlage
Elastic backing
- 5 Wasserfeste Hydro Trägerplatte
Waterproof hydro core board
- 6 Wasserfester Trittschall Gegenzug
Waterproof sound underlay

Formate / Dimensions

1235 x 230 mm

1235 x 305 mm

620 x 450 mm



Wärmeisolierend
Thermal insulation



Schall- und Trittschallisolierung
Sound impact and phonic insulation



Antistatisch
Antistatic



Strapazierfähig
Durable



Fusswarm
Warm to the touch



Gelenkschonend
Soft to the tread





Li&Co AG
Palù Daint 226
CH-7537 Müstair
TEL +41 (0)81 850 38 38
FAX +41 (0)81 850 38 39
info@lico.ch - www.lico.ch